

WEST Search History

DATE: Saturday, March 17, 2007

| Hide? | Set Name | Query | Hit Count |
|--------------------------|-------------|---|--------------|
| | | <i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L13 | 14 and L12 | 6 |
| <input type="checkbox"/> | L12 | (709/225 or 709/250 or 725/25 or 725/31).ccls. | 5228 |
| <input type="checkbox"/> | L11 | 14 and (PID or (packet adj identif\$)) | 13 |
| | | <i>DB=EPAB,DWPI; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L10 | ((simultaneous\$ or concurren\$ or parallel\$) near8 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) and (conditional\$ adj access\$) | 6 |
| <input type="checkbox"/> | L9 | ((simultaneous\$ or concurren\$ or parallel\$) near8 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) and ((conditional\$ adj access\$) near8 (subsystem or subunit or (sub adj (system or unit)))) | 2 |
| <input type="checkbox"/> | L8 | ((simultaneous\$ or concurren\$ or parallel\$) near4 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) and ((conditional\$ adj access\$) near4 (subsystem or subunit or (sub adj (system or unit)))) | 1 |
| <input type="checkbox"/> | L7 | ((simultaneous\$ or concurren\$ or parallel\$) near4 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) same ((conditional\$ adj access\$) near4 (subsystem or subunit or (sub adj (system or unit)))) | 0 |
| | | <i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L6 | ((simultaneous\$ or concurren\$ or parallel\$) near4 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) same ((conditional\$ adj access\$) near4 (subsystem or subunit or (sub adj (system or unit)))) | 6 |
| <input type="checkbox"/> | L5 | L4 and (firewire or (fire wire) or 1394) | 4 |
| <input type="checkbox"/> | L4 | ((simultaneous\$ or concurren\$ or parallel\$) near4 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) same (conditional\$ adj access\$) | 45 |
| <input type="checkbox"/> | L3 | L1 OR (20050204391 OR 6040851 OR 6591419 OR 6424714 OR 5796829) [PN] | 7 |
| <input type="checkbox"/> | L2 | 5590202[pn] | 1 |
| <input type="checkbox"/> | L1 | (6154206 or 4817143)[pn] | 2 |

END OF SEARCH HISTORY

WEST Search History

DATE: Saturday, March 17, 2007

| Hide? | Set Name | Query | Hit Count |
|--------------------------|-------------|---|--------------|
| | | <i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L11 | 14 and (PID or (packet adj identif\$)) <i>Pedlow</i> | 13 |
| | | <i>DB=EPAB,DWPI; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L10 | ((simultaneous\$ or concurren\$ or parallel\$) near8 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) and (conditional\$ adj access\$) <i>Candelore Ludtke 6</i> | |
| <input type="checkbox"/> | L9 | ((simultaneous\$ or concurren\$ or parallel\$) near8 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) and ((conditional\$ adj access\$) near8 (subsystem or subunit or (sub adj (system or unit)))) <i>Ludtke 2</i> | |
| <input type="checkbox"/> | L8 | ((simultaneous\$ or concurren\$ or parallel\$) near4 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) and ((conditional\$ adj access\$) near4 (subsystem or subunit or (sub adj (system or unit)))) | 1 |
| <input type="checkbox"/> | L7 | ((simultaneous\$ or concurren\$ or parallel\$) near4 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) same ((conditional\$ adj access\$) near4 (subsystem or subunit or (sub adj (system or unit)))) | 0 |
| | | <i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i> | |
| <input type="checkbox"/> | L6 | ((simultaneous\$ or concurren\$ or parallel\$) near4 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) same ((conditional\$ adj access\$) near4 (subsystem or subunit or (sub adj (system or unit)))) <i>Murray 6</i> | |
| <input type="checkbox"/> | L5 | L4 and (firewire or (fire wire) or 1394) <i>Hunleth; Ludtke</i> | 4 |
| <input type="checkbox"/> | L4 | ((simultaneous\$ or concurren\$ or parallel\$) near4 (descramb\$ or scramb\$ or encrypt\$ or decrypt\$)) same (conditional\$ adj access\$) | 45 |
| <input type="checkbox"/> | L3 | L1 OR (20050204391 OR 6040851 OR 6591419 OR 6424714 OR 5796829) [PN] | 7 |
| <input type="checkbox"/> | L2 | 5590202[pn] | 1 |
| <input type="checkbox"/> | L1 | (6154206 or 4817143)[pn] | 2 |

END OF SEARCH HISTORY



pid (conditional access) 1394

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 114 for **pid (conditional access) 1394**. (0.07 se
All Results[Thomson Licens...](#)[D Trinh](#)[T Hurley](#)[B Candelore](#)[T Settle](#)**Evolution of the digital set top box - group of 2 »**

TR Hurley - Broadcasting Convention, International (Conf. Publ. No. 428), 1996 -
 ieexplore.ieee.org

... interconnection of home equipment using IEEE 1394. ... 2. **Conditional Access**
 Elements

Transport packets are ... packet identification number (**PID**) and descrambled if ...
 Cited by 8 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Method for simulcrypting scrambled data to a plurality of conditional access devices - group of 3 »

BL Candelore - US Patent 7,039,614, 2006 - Google Patents

... METHOD FOR SIMULCRYPTING SCRAMBLED DATA TO A PLURALITY OF
CONDITIONAL ACCESS DEVICES ...

connected via a digital transmission medium such as an IEEE 1394 serial bus ...
 Related Articles - [Web Search](#)

SIMULTANEOUS DIGITAL TELEVISION STREAMS WITH CONDITIONAL ACCESS

L VANTALON, GFR GAUTIER, AFR BOURSIER - EP Patent 1,393,563, 2004 -
 freepatentsonline.com

... SIMULTANEOUS DIGITAL TELEVISION STREAMS WITH **CONDITIONAL ACCESS**
 Field of ... 19 to a

removable security/access mechanism 21 ... A **PID** table 93 allows the compression ...
 Cached - [Web Search](#)

Conditional Access System for Digital Broadcasting in Japan - group of 2 »

T Yoshimura - Proceedings of the IEEE, 2006 - ieexplore.ieee.org

... The **PID** of the TS packet in which the EMM is ... 4. **Conditional access** interface of
 a

receiver ... of a high- speed digital interface (IEEE 1394) connection, protecting ...
 Web Search - [BL Direct](#)

CONDITIONAL ACCESS FOR FUNCTIONAL UNITS

DS MAKOFKA, J OKIMOTO - EP Patent 1,342,374, 2003 - freepatentsonline.com

... can be removed according to their unique **PID** information ... to controlling functional
 units within a **conditional access** system ... a method for controlling access to a ...

Cached - [Web Search](#)

Digital Television Receiver for ISDB - group of 2 »

M Sakurai - Proceedings of the IEEE, 2006 - ieexplore.ieee.org

... B. **Conditional Access** System The digital broadcast contents are ... MPEG LSI
 reads packet

identification (**PID**) of each ... digital VHS through the IEEE 1394 interface. ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

Process for controlling access to a domestic network and device



pid (conditional access subsystem) 1394

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles [Recent articles](#) Results 1 - 10 of about 24 for **pid (conditional access subsystem) 139**
All Results[T Hurley](#)[L Rønningen](#)[I SEMESTER](#)[J Gomola](#)[N Beebe](#)Evolution of the digital set top box - group of 2 »

TR Hurley - Broadcasting Convention, International (Conf. Publ. No. 428), 1996 -
 ieexplore.ieee.org

... **Conditional Access Sub-System** The **conditional access** (CA) system ... 2.

Conditional Access

Elements Transport packets ... identification number (**PID**) and descrambled ...

Cited by 8 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

CONDITIONAL ACCESS FOR FUNCTIONAL UNITS

DS MAKOFKA, J OKIMOTO - EP Patent 1,342,374, 2003 - freepatentsonline.com
 ... can be removed according to their unique **PID** information ... to controlling functional
 units within a **conditional access** system ... a method for controlling **access** to a ...
[Cached](#) - [Web Search](#)

XX C CM

LD Getzin - US Patent 7,103,734 - Google Patents

... The **conditional access** module 214 may receive the packets ... filtering of the packets
 selected by the **PID** filter 212. ... engine 226 allows direct memory **access** to the ...

[Web Search](#)

DTV Software

DTV Interactive - ora.kangnung.ac.kr

... System SW **1394** AVC TCP/IP ... A/70: **Conditional Access** System for Terrestrial
 Broadcast ...

MGT Master Guide Table - provides version, size and **PID**'s of all other ...

[View as HTML](#) - [Web Search](#)

System and method for remultiplexing of a filtered transport stream with new
 content in real-time - group of 2 »

D Coupe, EM Foster, BJ Lloyd, CH Ngai - US Patent 6,944,154, 2005 - Google Patents
 ... of the Prior Art In an MPEG **subsystem** that receives ... From the **PID** filter 14, the desired
 packets may ... 16« which may be implemented for **conditional access** reasons ...

[Related Articles](#) - [Web Search](#)

Buffer system for controlled and timely delivery of MPEG-2 data services -
 group of 5 »

RJ Crinon - US Patent 7,075,584, 2006 - Google Patents

... TELEVISION STANDARD include control data, **conditional access** data which ... packets
 as

indicated by the packet identifier (**PID**) ... two con- secutive data **access** units ...

[Related Articles](#) - [Web Search](#)

Optimisation of Multimedia Home Network Architecture

LA Rønningen - item.ntnu.no

... Sintef Intranet, not public. IEEE **1394-95** ... 12 prEN50221 Common Interface for
Conditional

Access and other Digital Video Broadcasting Decoder Applications ...

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)**Scholar**Results 1 - 3 of 3 for **pid (conditional access subunit) 1394**. (0.06 seconds)Optimisation of Multimedia Home Network Architecture

LA Rønningen - item.ntnu.no

... Sintef Intranet, not public. IEEE **1394**-95 ... 12 prEN50221 Common Interface for **Conditional Access** and other Digital Video Broadcasting Decoder Applications ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)Document Status Sheet - group of 2 »

R Author, J Weber, A Draft, A Issued, A Closed - opencable.com

... digital television that includes an IEEE-**1394** interface which ... **Conditional Access** (CA) messages including entitlements • System Information (SI) messages ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)Multimedia system for transferring and receiving program number and methods therefor - group of 2 »

I NA, JTAE KIM - EP Patent 1,420,581, 2004 - freepatentsonline.com

... type, a response code and a **subunit** address according ... program map table (PMT) and **conditional access** table (CAT ... of the program is represented by **PID=XXXX**, and ...[Cached](#) - [Web Search](#)[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google